
RESERVOIR

Does your nitrogen need protection?


Studies show that significant amounts of applied nitrogen are lost through *volatilization*, denitrification, and leaching.




Protect your nitrogen with RESERVOIR.

RESERVOIR contains urease and nitrification inhibitors (NBPT and DCD) that significantly reduce the three main routes of nitrogen loss: volatilization, denitrification, and leaching. Decreased losses means increased nitrogen in the root zone and more nitrogen uptake by the crop.

Once nitrogen moves
into the soil, RESERVOIR
keeps it in its ammonium
form longer, which is less
susceptible to
denitrification and
leaching out of the root
zone. The longer
nitrogen is in the root
zone, the more available
it is to the plant root.



* Lab incubation study



More nitrogen in the root zone means more nitrogen uptake by the plant. This translates to more efficient nitrogen use and higher crop yields.

RESERVOIR Use Rates

UAN Solutions

2.1 - 8.3 liters/tonne (2 - 8 quarts/ton)

Urea

2.1 - 8.3 liters/tonne (2 - 8 quarts/ton)

RESERVOIR is available in bulk, totes, and 10 liter pails.

AMETECH LLC. 120 Stryker Lane, Unit 202A/B. Hillsborough, NJ 08844 USA. Phone: 908-829-3813. info@ametechllc.com

DISCLAIMER: While the information herein is believed to be reliable, we do not guarantee its accuracy. Purchasers are urged to make their own tests with materials described herein. Various patents owned by our vendors or others may be pertinent to their use and to compositions containing them. Nothing contained herein is intended as a recommendation to use our products so as to infringe any patent. We assume no liability for customers' violation of patent or other rights. The customer should make his or her own patent investigation relative to his proposed use, and where a patent would be violated, the customer should secure a license from the patent owner. Obviously, each formulator should evaluate their products to determine strength, character, performance, and safety. Federal, state, and local laws and applicable regulators should be consulted.

^{*}Data an average of five studies conducted in Illinois and Indiana.